

BRITISH SOLOMON ISLANDS PROTECTORATE
HONIARA SEISMOLOGICAL OBSERVATORY HNR.

Telegram SEISMO.

Phone 521

Box G24,
Post Office,
HONIARA.

5th December, 1969

From: 25th June to 3rd July, 1968

<u>25-6-68</u>	1056	eP	Z	02	04	28.0	DIL. A 2.0 T 0.5
		iS	N		04	31.5	
	1057	e	Z ₁	03	33		
	1058	e	Z ₁	05	09		CBM
	1059	e	Z ₁	09	30		
	1060	iP	Z ₁	19	19	20.0	DIL.
		iS	NE		19	35.0	
	1061	eiP	Z	23	07	27	A 0.9 T 6.0
<u>26-6-68</u>	1062	e	Z ₁	02	05	50	
	1063	eP	Z ₁	07	57	30	
		iS	N		57	43.3	
	1064	eP	Z	08	34	49	
		eS	N		34	56	
	1065	eP	Z	10	33	23	
		eIr	Z ₁	10	48		
	1066	eP	Z ₁	12	14	28.5	
		eS	N		14	49	
	1067	eP	Z	13	23	01.5	
		eS	N		23	18	
	1068	iP	ZZ ₁	15	44	23.0	COMP A 23.0 T 0.8
		eS	Z ₁		47	39	
	1069	eP	Z ₁	17	42	46.2	
		eS	N		42	13.5	
	1070	e	Z ₁	18	51		
<u>27-6-68</u>	1071	e	Z	02	07	03	
	1072	e(P)	Z	02	31	44	
		iS	N		31	59	
	1073	eP	Z	03	27	00	
		eS	N		27	12.3	
	1074	e(P)	Z	03	38	49	
	1075	e	Z	05	49		
	1076	eP	Z	08	23	(07)	
	1077	eP	Z	22	21	27	A 4.0 T 0.9
	1078	e	Z	22	27	06	
	1079	eP	Z	23	46	52.0	
<u>28-6-68</u>	1080	e	E	07	08		CBM
	1081	eP	Z	12	09		CBM
	1082	eP	Z	21	48	13	
		eS	N		48	30	
	1083	eP	Z	23	16	(54.5)	
	1084	eP	Z	23	33	31	
		eS	N		33	47	
<u>29-6-68</u>	1085	eP	Z ₁	11	09.5	17.5	A 10.0 T 0.7
		iS	N		10	35	
	1086	iP	Z	14	51	24.9	DIL.
		eS	E		51	(44)	
	1087	eP	Z	15	55	52	COMP A 2.0 T 0.7
		iS	N		56	14.0	
	1088	eP	Z	18	06	29	
		eS	N		07	56.9	
	1089	eP	Z	20	02	40	
		eS	N		02	54.2	
	1090	eP	Z	21	42	32	
		e	Z ₁	22	22		

- 2 -

<u>30-6-68</u>	1091	eP	Z ₁	09	41	03.0	
		e(P)	Z ₁		41	44	
		eS	Z ₁		46	13	
		eLq	Z ₁		47	42	
		eLr	Z ₁		49	12	
	1092	e(P)	Z ₁	13	18	36	
	1093	eP	Z ₁	17	16	05.5	
		eS	E		16	52	
	1094	e	Z ₁	21	03		
<u>1-7-68</u>	1095	iP	Z	00	39	25.9	
		iS	NE		39	37.3	
	1096	eP	Z ₁	03	18	23	
	1097	eP	Z ₁	10	53	59	
		ePcP	Z ₁		55	24	
		ePP	Z ₁		56	05	
		eJ	Z ₁	11	00	53	
		eLq	Z ₁		04	38	
		eLr	Z ₁		07	08	
<u>2-7-68</u>	1098	eP	Z	02	21	(05)	CBM
	1099	e(P)	Z ₁	04	11	58	
	1100	iP	Z ₁	18	44	59.0	
		eS	H		48	55	
<u>3-7-68</u>	1101	eL	Z ₁	09	14.1		

BRITISH SOLOMON ISLANDS PROTECTORATE
HONIARA SEISMOLOGICAL OBSERVATORY HNR.

Telegram

SEISMO.

Phone 521

Box G24,
Post Office,
HONIARA.

5th December, 1969

From: 18th to 26th January, 1968

<u>18-1-68</u>	88	eP	Z	04	41	46	T 0.5	A 1.9
		eS	N		42	12		
	89	eP	Z	11	54	42.8	T 0.9	A 1.7
		eS	E		55	55		
	90	eP	Z	12	08	29.2	T 1.3	A 4.0
		e(PP)	Z ₁		08	48		
		e	Z ₁		09	32		
		e(PcP)	E ₁		10	14		
		eS	N ₁		12	36		
		eLq	N ₁		13	(26)		
		eLr	Z ₁		14	26		
	91	eP	Z ₁	14	45	29		
		iS	N		45	47.1		
<u>19-1-68</u>	92	iP!	ZNE Z ₁ N ₁ E ₁	06	05	00.0	S = SMOKED PAPER	FELT HONIARA INT. 4-5
		iS	S		05	15		
	93	iP	Z	0	38	(36)	IN CODA OF PRECEDING SHOCK	
		iS	NE		38	54.0		
	94	eP	Z	07	09	(44)		
		eS	E		10	(06)		
	95	iP	Z	07	16	00.9		
		iS	N		16	(20)		
	96	eP	Z	07	27	44		
		iS	N		28	04.0		
	97	eP	Z	07	38	14		
		eS	NE		38	35		
	98	eP	Z	08	11	(05)		
	99	eP	Z	08	28	22		
		eS	N		28	32		
	100	i(P)	Z	08	31	26	CONFUSED BY OTHER SHOCKS	
	101	eP	Z	08	35	(44)	CBM	
		eS	E		36	03		
	102	iP!	ZNE Z ₁ N ₁ E ₁	08	37	35.2	COMP	
		iS	N		37	(56)		
	103	iP!	ZNE Z ₁ N ₁ E ₁	09	00	24.0	COMP.	
		iS	E		00	(50)		
	104	eP	Z	09	46	29		
		eS	NE		46	54		
	105	eP	Z	09	55	(07)		
		eS	E		55	26		
	106	eP	Z	10	09	18.1		
		iS	NE		09	29.0		
	107	iP	Z	10	53	13.5	DIL.	
	108	iP	Z	11	12	30.0	DIL.	
		eS	E		12	(52)		
	109	iP	Z	11	50	26.5	DIL.	
		iS	N		50	42.1		
	110	eP	Z	16	32	52		
		eS	E		33	14		
	111	iP	Z	17	09	43.0	DIL.	
		iS	E		10	06.0		
	112	eP	Z	17	18	(38)		
	113	eP	Z	18	27	42		
		eS	N		28	07.2		
	114	eP	Z	18	31	42.0		
		eS	NE		31	59		

	115	iP	Z	18	36	12.1	
		iS	N		36	32.1	
	116	eP	Z	18	49	03	
		eS	E		49	(20)	
	117	eL	Z ₁	18	56.4		
	118	eP	Z ₁	20	26	02	
		eS	E ₁		27	40	
<u>20-1-68</u>	119	eP	Z	04	01	31	
		eS	E		01	(56)	
	120	eP	Z	09	19	58.5	
		iS	E		20	52.9	
	121	eP	Z	12	01	25.5	
		eS	E		02	59.9	
	122	iP	Z	15	58	13.0	COMP.
		iS	E		58	(38)	
	123	iP	Z	16	45	50.9	COMP.
		iS	N ₁		49	31	
		eLq	E ₁		50	44	
		eLr	Z ₁		51	38	
	124	iP	Z ₁	17	20	56.0	COMP T 0.5 A 5.5
		iS	NE		21	20.2	
	125	eP	Z	18	08	47	
	126	iP	ZZ ₁	21	26	52.0	
		ePP	Z ₁		28	02	
		e(PcP)	Z ₁		28	45	
		eS	N ₁		31	06	
		eScP	Z ₁		33	06.0	
		SoS	E		36	01.0	
<u>21-1-68</u>	127	iP	Z ₁	00	29	56	
	128	eP	Z ₁	01	28	28.1	A 2.6 T 1.0
		eS	E		34	29.0	
	129	eP	Z	06	05	10	
		eS	N		05	54.2	
	130	iP	Z	06	29	20.0	DIL.
		iS	N		29	37.1	
	131	iP	Z	06	31	53.0	DIL.
		iS	N		32	(35)	
	132	eP	Z	07	42	09	
	133	iP	Z	10	49	30.6	COMP A 7.0 T 0.6
		iS	N		49	42	
	134	e(P)	Z	17	03	(57)	
		eS	N ₁		28	(33)	
	135	iP	Z ₁	18	51	01.0	DIL.
		iS	N		51	26.4	
	136	eP	Z	22	57	51.1	T 1.1 A 6.0
<u>22-1-69</u>	137	iP	Z	12	48	35.0	COMP.
		iS	NE		48	(42)	
	138	eP	Z	15	38	25	
	139	eP	Z	18	19	28	
		eS	N ₁		21	42	
	140	eP	Z ₁	19	00	48	
<u>23-1-68</u>	141	eP	Z	09	19	13.5	
		eS	N		20	13	
	142	e(P)	Z	16	17	38	
	143	eP	Z	22	01	38.5	
		iS	N		02	03.3	
Correction for Cable:							
	17-1-68	iS	NE	00	48	(23)	
	19-1-68	iS	E	09	00	(50)	
		eS	E ₁	20	27	40	
<u>24-1-68</u>	144	eP	Z	02	12	(45)	
		eS	E		13	04	
	145	iP	Z	05	19	56.5	DIL.
		iS	N		20	04.0	

- 3 -

146	iP	Z	05	49	26.0	
	iS	N		49	33.1	
147	eS	E	06	13	54	
148	eP	Z	07	17	(07)	
	eS	E		18	(54)	CRUSTAL ?
149	eP	Z	09	33	24.2	A 1.8 T 0.9
	eL	Z ₁		35	(35)	
150	iP	Z ₁	16	59	35.8	COMP A 4.5 T 0.5
	iS	N		59	40	
151	eP	Z	18	36	19	
	eS	N		36	55	
152	eP	Z	23	22	47	A 1.0 T 0.2
	eS	N		23	05	
153	iP	Z	23	58	08.4	DIL. A 2.6 T 0.5
	iS	N		58	24.0	
<u>25-1-68</u>	154	iP	Z	12	58	05.1
	155	e(L)	Z ₁	11	10.2	
	156	iP	Z ₁	18	21	39.0 DIL.
		iS	N	21	49.0	
	157	e(P)	Z	21	01	(15) CEM
<u>26-1-68</u>	158	eP	ZZ ₁	04	53	07
		ePP	Z ₁		54	52
		e(PcP)	N ₁		55	(12)
		eS	E ₁		59	03
		eLq	N ₁	05	01	(54)
		eLr	Z ₁		04	28
	159	eP	Z ₁	12	57	37.4
	160	iP	Z	13	34	25.5 COMP.
		iS	N		35	06.2
	161	iP	Z	18	51	03.1
		iS	NE		51	18.0
	162	iP	Z	21	33	06.1
		iS	NE		33	17.8