Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

KEW OBSERVATORY 14 FEB 1935 RICHMOND, SURREY

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR JANUARY 1935.

Lat. 51° 28′ 6″ N, Long. 0° 18′ 47″ W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T_1.	PENDULUM FREE PERIOD T.	DAMPING CONSTANT μ^2.	$\frac{Ak}{\pi l}$
N.	5 Sept., 1934	24.7 sec.	24.5 sec.	+.01	46.7 sec^{-1}
E.	6 Sept.,1934	24.8	24.8	-.01	42.6
Z.	11 Sept.,1934	13.0	13.1	+.01	109.

TIME SERVICE: MINUTE TIME MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK (MORRISON); TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY. SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T. h.	m.	s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
Jan.									
1	Z	iPKP	13	40	2			(16000)	Dilatation. Emergent on horizontal components. Oceania. 17°S., 174°W. (U.S.C.G.S.)
	Z	i		41	15				
	ZNE	ePP		43	21				
	E	i	14	1	38				
	N	eSS		2	22				
	NE	e		3	10				
	E	i		3	54				
	E	eSSS		7	13				No surface waves.
		F	15	30					
2		e	23	17					
		F		35					
3	Z	iP	2	0	58			7310	Compression. Emergent on horizontal components.
	NE	iS		9	43				
	ZNE	eSSS		16	52				
	ZNE	i		17	10				Tibet. 31.5°N., 88°E. (Strasbourg.)
	NE	L		20					
	Z	L		23					
	E	M		28	33	21	+27		
	N	M		28	42	21	+64		
	Z	M		32	42	15	+19		
		F	3	45					
4	ZNE	iP	14	46	25			2390	Amplitudes of iP as read in mm: N E Z (-0.3) +1.3 -2.0
	ZNE	i		46	32				
	NE	eS		50	21				
	ZNE	iS		50	25				
	ZN	i		50	32				
	E	i		50	36				Sea of Marmora. 40.8°N., 28.3°E. (Strasbourg)
	ZNE	L		52					
	N	M		54	15	14	+105		
	E	M		55	13	21	-76		

FORM 3717.
50 W8036/1002-35 GR928.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN. January 1935.

DATE.	COMPT.	PHASE.	G.M.T. h. m. s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
Jan							
4	N	M	14 56 22	10	-100		
	E	M	56 25	15	+69		
	Z	M	57 0	10	+37		
		F	16 15				
4	ZNE	eP	16 24 59			2500	Repetition of previous shock.
	Z	i	25 2				Sea of Marmora.
	ZNE	iS	29 4				40.8°N., 29.0°E.(Strasbo
	ZNE	L	31				
	E	M	33 54	17	-55		
	N	M	34 11	17	-76		
	Z	M	35 42	11	-34		
		F	17 40				
11		e	0 57				
		F	1 15				
17	ZNE	i	2 27 57				
	N	e	44 43				
	E	e	50 28				
	N	e	56 33				
	NE	eL	3 10				
	Z	eL	20				
	N	M	35 41	25	-10		
		F	4 20				
18		e	12 38				Very small
		F	13 15				
18	Z	e	18 2 23				Possibly microseismic.
	NE	e	6 4				
	ZNE	eL	8				
	N	M	12 44	16	+8		
	Z	M	12 55	16	+7		
		F	30				
19	ZNE	e	12 54 59				
	NE	eL	13 1				
	Z	eL	3				
	N	M	3 59	26	+7		
		F	14 15				
23	ZN	iP	7 35 52			8420	Amplitudes of iP as read
	NE	iS	45 33				mm: N E Z
	E	i	45 41				-1.5 0.0 +2.
	N	i	45 53				
	Z	i	46 27				Azimuth about north.
	NE	iSS	51 11				
	Z	e	53 50				Aleutian Islands.
	N	iSSS	54 52				55°N., 171°W. (Strasbour
	E	eLQ	56				
	ZN	eLR	8 0				
	E	M	3 56	26	+41		
	N	M	13 18	19	+43		
	N	M	15 28	19	-66		
	Z	M	15 32	19	+77		
	E	M	15 37	19	-54		
		F	10 55				

FORM 3718.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

2401/20

3

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN.

January, 1935.

DATE.	COMPT.	PHASE.	G.M.T.	PERIOD.	AMPLITUDE,	Δ	REMARKS.
			h. m. s.	sec.	μ	km.	
Jan. 26			- -				No records. 5h.-11h. 20m.
29			- -				No records during adjustments. 14h. 10m.-14h. 50m.
30		e	1 7				
		F	20				

F.J.W. Whipple,
Superintendent.

7th. Feb., 1935.

FORM 3718.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

KEW OBSERVATORY 12 MAR 1935 RICHMOND, SURREY

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR ...February..... 1935.

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T_1.	PENDULUM FREE PERIOD T.	DAMPING CONSTANT μ^2.	$\frac{Ak}{\pi l}$
		sec.	sec.		sec-1
N.	5 Sept., 1934	24.7	24.5	+.01	46.7
E.	6 Sept., 1934	24.8	24.8	-.01	42.6
Z.	11 Sept., 1934	13.0	13.1	+.01	109.

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK (MORRISON); TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY. SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.	PERIOD.	AMPLITUDE.	Δ	REMARKS.
Feb.			h. m. s.	sec.	μ	km.	
3		e	2 25				
		F	55				
4	Z	e	17 44 20				Possibly not seismic.
	NE	eL	18 40				
	Z	eL	44				
		F	19 45				
6		eL	2 10				
		F	35				
7	NE	eL	18 19				
	N	M	24 43	19	+3		
	Z	eL	27				
		F	40				
9	NE	eL	20 4				
	Z	eL	12				
	E	M	12 45	20	-8		
		F	35				
13		e	9 58				
		F	10 10				
22	E	i	17 27 37				Confused by microseisms.
	N	i	27 51				
	ZN	i	28 30				
	NE	i	38 24				
	E	i	39 58				
	N	i	41 9				
	N	i	42 7				
	E	i	42 22				
	ZNE	eL	51				
	N	i	53 30				large movement.

FORM 8717.
[illegible].8038.100.3.35.0,.923

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN.

February (contd 1935.

DATE.	COMPT.	PHASE.	G.M.T. h.	m.	s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
Feb. 22 (contd)	N	M	17	59	19	18	-39		
	E	M	18	6	1	17	-41		
	Z	M		9	43	16	+35		
		F	20	0					
25	ZNE	iP	2	56	34			2540	Dilatation. Azimuth about south-east.
	ZN	i		56	58				Destructive in Crete.
	E	e	3	0	42				35.5°N., 24°E. (Strasbourg).
	NE	iS		0	49				
	NE	i		1	10				
	NE	L		3	26				
	N	M		5	3	19	+63		
	Z	M		5	14	9	+18		
		F		30					
26			10	4	to				No records.
			12	48					

F.J.W. Whipple,
Superintendent.

6th. March, 1935.

FORM 3718.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR MARCH 1935.

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T_1.	PENDULUM FREE PERIOD T.	DAMPING CONSTANT μ^2.	$\frac{Ak}{\pi l}$
N.	5 Sept.,1934	24.7 sec.	24.5 sec.	+.01	46.7 sec^{-1}
E.	6 Sept.,1934	24.8	24.8	-.01	42.6
Z.	11 Sept.,1934	13.0	13.1	+.01	109.

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK (MORRISON); TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.
SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T. h. m. s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
Mar.							
5	NE	eL	10 44				
	Z	eL	48				
	N	M	53 59	22	+10		
		F	11 30				
5	NE	eL	22 49				
	Z	eL	55				
	N	M	55 42	15	+9		
	E	M	55 52	15	-8		
	Z	M	55 54	15	+12		
		F	23 15				
8			- - -				No records, 5h 15m to 10h 10m
11			- - -				No records, 10h 6m to 11h 46m
12	NE	eL	14 5				Horizontal components disturbed by wind.
	Z	eL	10				
		F	25				
14	ZNE	eL	16 55				
		F	17 55				
14	ZN	e	17 5 43				Not very distant. Clearly recorded by Wood-Anderson seismograph (N-S component.)
	NE	e	8 19				
	N	e	8 32				
	N	e	8 56				
	ZNE	L	10				masked by coda of preceding shock.
		F	- - -				
15	ZNE	eL	12 43				
		F	13 10				

KEW OBSERVATORY
1/4/35
RICHMOND, SURREY

FORM 3717.
2,606 9,1004-35.C.923.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN.

March (contd) 1935.

DATE.	COMPT.	PHASE.	G.M.T. h.	m.	s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
Mar. 18	ZNE	e	8	46	0				
	E	i		50	29				
	ZN	i		50	37				
	NE	i		51	1				
	NE	i		51	27				
	N	i		56	52				
		F	9	5					
19	N	e	7	30	33				
	NE	e		31	47				Felt in south-east France.
	Z	M		32	41	8	+11		
		F		35					
21	NE	e	23	43					
	NE	eL		55					
	Z	eL	0	5					
	N	M		43	17	25	+11		
		F	1	30					
29	ZN	eL	13	45					
	N	M		53	14	20	+7		Confused by microseisms.
	Z	M		53	47	19	+11		No "E-W" record.
		F	14	55					
30	Z	e	21	32	10				
	ZNE	e		42	36				
	NE	eL		59					
	Z	eL	22	3					
	E	M		10	23	22	-14		
	N	M		11	59	21	+23		
	Z	M		14	28	19	-18		
		F	23	0					
31	Z	iP	3	25	34			2000	Emergent on horizontal components.
	NE	eS		28	57				
	ZNE	eL		30					
	N	M		31	33	15	-22		
	E	M		34	29	15	-13		
	Z	M		35	33	10	+15		
		F	4	5					

F.J.W. Whipple,
Superintendent.

6th. April, 1935.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

OBSERVATORY
11 MAY 1935
RICHMOND SURREY

M.O. 383.....

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR APRIL 1935.

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T_1.	PENDULUM FREE PERIOD T.	DAMPING CONSTANT μ^2.	$\frac{Ak}{ml}$
		sec.	sec.		sec^{-1}
N.	5 Sept., 1934	24.7	24.5	+.01	46.7
E.	6 Sept., 1934	24.8	24.8	-.01	42.6
Z.	11 Sept., 1934	13.0	13.1	+.01	109.

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK (MORRISON); TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.
SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.	PERIOD.	AMPLITUDE.	Δ	REMARKS.
April			h. m. s.	sec.	μ	km.	
1		e	3 40				
		F	4 30				
3	Z	i	11 20 44				Compression. Emergent on horizontal components. Practically no surface waves.
	NE	i	27 45				
	NE	i	30 10				
	N	i	36 28				
		F	12 5				
3		e	12 25				} Very small.
		F	13 10				
3		e	22 7				
		F	30				
5	ZNE	eL	4 14				
		F	40				
5	Z	eL	9 40				horizontal components disturbed by wind.
		F	45				
11	ZNE	eL	2 10				
	E	M	12 10	21	+4		confused by wind and micro-seisms.
		F	20				
11/12	Z	iP	23 22 27			4380	Compression. Emergent on horizontal components. Trans-Caspia. (Felt in Persia.) 39°N., 55°E (Strasbourg).
	ZE	i	22 35				
	ZE	iPP	24 4				
	NE	iS	28 36				
	NE	e	28 50				
	N	i	31 15				
	ZNE	eL	34				
	Z	i	41 29				
	N	M	42 8	26	+51		
	Z	i	42 34				

FORM 3717.
H.822.8089.100.5.35&p.923

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN.

April (contd.) 1935

DATE.	COMPT.	PHASE.	G.M.T.	PERIOD.	AMPLITUDE.	Δ	REMARKS.
			h. m. s.	sec.	μ	km.	
Apr 11/12	E	i	46 9				
	Z	i	46 13				
	E	i	49 22				
	E	i	49 56				
		F	1 50				
12		e	13 1				
		F	35				
12		e	22 55				Possibly not seismic.
		F	23 5				
15		e	21 52				Very small.
		F	22 0				
19	ZNE	iP	15 28 30			2525	Amplitudes of iP as read
	ZN	i	28 38				in mm:- N E Z
	ZNE	iPP	28 52				-10.2 +6.1 -13.8
	ZE	i	30 54				giving azimuth about 145°
	NE	iS	32 37				Mediterranean sea near th
	ZNE	eL	34				coast of Tripoli.
	E	M	35-38				32.5°N., 16°E (Strasbourg
	N	M	35 45	25	>+320		Maxima doubtful; traces
	N	M	37 51	20	>+260		very faint and passing of
	Z	M	38-40	(18)	(290)		upper edge of N and E
		F	- - -				records
							Overlapped by next shock.
19		iP	18 2 57			2540	Times from Wood-Anderson
		iS	7 5				seismogram. Emergent phas
		eL	8				in the Galitzin records.
	E	M	10 16	24	-8		Repetition of preceding
		F	19 35				shock.
							32°N., 15.5°E.(Strasbourg
19	ZNE	eP	20 36 59			2360	Further repetition
	NE	iS	40 53				32°N., 15.5°E.(Strasbourg
	Z	i	41 0				
	ZNE	eL	42				
	N	M	44 11	24	-25		
	E	M	44 26	22	+29		
		F	21 50				
20	ZNE	iP	5 16 8			2510	Dilatation. Further
	NE	eS	20 14				repetition.
	Z	i	20 18				32°N., 16.5°E.
	E	i	20 22				
	N	i	20 25				
	ZNE	eL	21				
	N	M	23 33	25	-68		
	E	M	23 48	20	+63		
	N	M	26 29	15	+52		
	Z	M	29 3	11	-42		
		F	7 30				
20/21	Z	eP	22 14 52			10000	Destructive in northern
	NE	eSKS	25 24				Formosa.
	E	iS	25 50				25°N., 121°E.(Strasbourg
	NE	eSS	31 32				

FORM 3718.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN.

April (contd.) 1935.

DATE.	COMPT.	PHASE.	G.M.T. h. m. s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
20/21	ZNE	eL	42				
	N	M	49 59	25	-95		
	N	M	51 50	18	+135		
	E	M	51 50	18	-69		
	E	M	54 38	18	+135		
	Z	M	55 44	16	-74		
		F	0 45				
21		e	8 27				
		F	9 0				
22		e	13 45				Very small.
		F	50				
23	Z	i	16 57 11				Compression.
	NE	i	17 6 37				
	NE	e	15 27				
	ZNE	eL	22				
		F	50				
24	ZE	i	16 4 36				Compression.
	Z	e	7 32				Horizontal components
	ZNE	eL	41				disturbed by wind.
	Z	M	49 17	16	+2		
		F	17 10				
24	Z	i	19 3 51				
	NE	e	13 53				
	ZNE	eL	30				
		F	55				
26	Z	e	12 25				Very small, possibly not
		F	13 15				seismic.
27	ZE	e	19 9 16				Felt in the Azores.
	E	e	13 25				
	ZNE	eL	15				
		F	50				

F.J.W. Whipple,
Superintendent.

4th. May, 1935.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

KEW OBSERVATORY
15 JUN 1935
RICHMOND, SURREY

No. 383

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR MAY 1935.

Lat. 51° 28′ 6″ N, Long. 0° 18′ 47″ W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T_1.	PENDULUM FREE PERIOD T.	DAMPING CONSTANT μ^2.	$\frac{Ak}{\pi l}$
N.	5 Sept. 1934	sec. 24.7	sec. 24.5	+.01	sec^{-1} 46.7
E.	6 Sept. 1934	24.8	24.8	-.01	42.6
Z.	11 Sept. 1934	13.0	13.1	+.01	109.

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK (MORRISON); TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY. SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T. h.	m.	s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
May, 1	Z	eP	10	31	6			3430	Caucasus. 38°N., 43°E. (Strasbourg)
	ZE	i		32	28				
	NE	iS		36	19				
	ZNE	eL		38					
	N	M		44	33	18	-17		
		F	12	10					
2		e	8	29					Very small; possibly not seismic.
		F		35					
4/5	NE	eL	23	48					
	Z	eL		51					
	N	M		59	27	17	+5		
	F		0	25					
7	NE	eL	6	46					
	N	M		54		29	-7		
	Z	eL		55					
		F	7	30					
9		e	5	41					Very small.
		F		50					
10		e	17	50					
		F	18	5					
12		e	5	48					
		F	6	15					
		e	13	0					Very small.
		F		10					
		e	20	55					Very small.
		F	21	20					

FORM 3717.

H 533.W.8009.100.6/35.Cp.928.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

KEW OBSERVATORY, RICHMOND, SURREY. ENGLAND.

SEISMOLOGICAL BULLETIN.

MAY 1935.

DATE.	COMPT.	PHASE.	G.M.T. h.	m.	s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
May 13	ZE	e	20	5	58				
	NE	e		16	12				
	NE	eL		25					
	Z	eL		34					
	N	M		39	1	26	+19		
	E	M		39	26	23	-9		
		F	21	40					
14		e	1	5					Very small.
		F		45					
14/15	Z	e	23	42	41				Horizontal components disturbed by wind.
	E	e		49	59				
	Z	i		51	49				
	N	i		52	33				
	Z	i		52	56				
	E	e		57	48				
	Z	e		58	39				
	N	i		58	41				
	N	i	0	3	11				
	ZNE	eL		9					
	Z	M		22	35	21	+26		
	N	M		22	51	26	+40		
		F							Overlapped by next shock.
15	Z	e	2	11	7				Horizontal components disturbed by wind.
	N	e		19	13				
	N	e		22	8				
	ZNE	eL		33					
	N	M		35	35	20	-17		
	Z	M		42	3	15	-12		
		F	3	35					
16	ZNE	eL	17	52					
		F	18	15					
16	Z	e	21	1	10				
	NE	eL		50					
	Z	eL		55					
	N	M	22	20	40	13	+3		
		F	23	10					
18	Z	e	21	51	32				Possibly not seismic.
	NE	eL	22	50					
	Z	eL		56					
		F	23	10					
20	NE	eL	6	16					
	Z	eL		25					
	N	M		31	58	20	+3		
		F		55					
20		e	18	30					Very small.
		F		40					
21	Z	i	4	33	21				Very small.
	ZNE	eL		54					
		F	5	15					

FORM 3718.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN. MAY 1935.

DATE.	COMPT.	PHASE.	G.M.T. h.	m.	s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
May,									
21	Z	e	7	12	42				
	ZNE	eL		53					
	Z	M	8	9	35	20	+7		
	N	M		9	39	21	-7		
		F	9	30					
21		e	12	55					Very small; possibly not seismic.
		F	13	5					
21		e	14	12					
		F		30					
22		e	8	57					
		F	9	10					
22		e	10	28					
		F		35					
23	Z	i	18	7	13				Horizontal components disturbed by wind.
	ZNE	eL		19					
	Z	M		21	9	20	+11		
		F	19	5					
24	Z	e	5	50	31				
	Z	e		54	42				
	N	i		55	17				
	NE	e	6	1	2				
	NE	eL		23					
	N	M		27	10	41	-63		
	E	M		27	34	40	-43		
	Z	eL		33					
	N	M		41	48	17	-31		
	Z	M		41	53	15	+34		
		F	9	30					
24		e	18	8					Very small; possibly not seismic.
		F	19	5					
25	Z	e	0	35	5				
	ZNE	eL		57					
	Z	M	1	12	6	18	+7		
		F	2	10					
26	Z	e	22	31					
	NE	eL		57					
	Z	eL	23	2					
	N	M		8	48	20	-7		
	Z	M		12	0	16	+7		
		F	0	0					
27	Z	e	3	36					
	ZNE	eL	4	32					
		F	5	35					
28		e	17	42					
		F	18	15					

FORM 3718.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN.

MAY 1935.

DATE.	COMPT.	PHASE.	G.M.T.	PERIOD.	AMPLITUDE.	Δ	REMARKS.
			h. m. s.	sec.	μ	km.	
May, 29		e	20 33				
		F	21 0				
30/31	Z	iP	21 42 14			6010	at Dilation; emergent on E-W component. Azimuth about east.
	ZE	i	42 19				
	Z	i	45 21				
	NE	iS	49 51				
	Z	i	50 5				
	N	i	50 13				
	E	i	50 22				
	E	i	53 49				
	Z	i	54 35				
	N	i	54 46				
	Z	i	57 11				
	ZNE	L	59				
	E	M	22 6 15	(20)	>350		
	N	M	12 14	(17)	>300		
	Z	M	12 14	(17)	>450		
		F					Overlapped by next shock.
31	N	eL	2 32				
	ZE	eL	36				
	N	M	37 23	21	-8		
		F	3 0				
31		e	13 28				
		F	50				
31		e	17 44				
		F	18 0				

Quetta

F.J.W. Whipple,

Superintendent.
6th June, 1935.

FORM 3718.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

Clk Rm

KEW OBSERVATORY

15 JUL 1935

RICHMOND, SURREY

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR JUNE 1935.

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T_1.	PENDULUM FREE PERIOD T.	DAMPING CONSTANT μ^2.	$\frac{Ak}{\pi l}$
		sec.	sec.		sec^{-1}
N.	5 Sept. 1934	24.7	24.5	+.01	46.7
E.	6 Sept. 1934	24.8	24.8	-.01	42.6
Z.	11 Sept. 1934	13.0	13.1	+.01	109.

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK (MORRISON); TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY. SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T. h. m. s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
June,							
1		e	4 52				
		F	5 20				
2	ZNE	i	9 25 47				
	E	e	33 17				
	NE	e	43 38				
	ZNE	eL	46				
	N	M	49 45	19	+14		
	E	M	54 26	16	-7		
	Z	M	54 38	15	-9		
		F	11 5				
5	E	e	11 53 15				Not very distant.
		F	12 0				
6		e	12 52				Very small, possibly not seismic.
		F	14 30				
8		e	1 25				Confused by wind and microseisms.
		F	35				
11		e	22 28				
		F	23 0				
16		eL	7 17				
		F	40				
18/19		e	22 53				
		eL	23 22				
		F	0 5				
19/20		eL	23 24				
		F	0 20				

FORM 3717.

H.542.8069.100.7.35.Cp923.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN.

JUNE 1935.

DATE.	COMPT.	PHASE.	G.M.T.	PERIOD.	AMPLITUDE.	Δ	REMARKS.
June,			h. m. s.	sec.	μ	km.	
22		e	16 33				
		F	17 55				
24/25	ZN	iPKP	23 42 30			16000	Compression.
	Z	i	43 6				
	ZN	PP	45 46				
	NE	iSS	0 4 25				
	NE	L	29				
	Z	L	36				
	N	M	40 52	28	-25		
		F	3 0				
25	Z	e	12 45 (48)				
		L	13 15				
		F	14 10				
27	-	-	-	-	-	-	No records, 09.40 to 17.52.
28	Z	e	2 19 22				
		L	58				
		F	3 40				
29	ZNE	iP	7 1 25			9560	Compression. Amplitudes of iP as read in mm.
	NE	eSKS	11 47				N .E Z
	NE	iS	12 2				-0.3 +1.0 +3.0
	NE	eSS	17 56				giving azimuth about 287°.
		L	29				Epicentre near 14°N, 101° W.
	E	M	38 56	16	+91		Acapulco Deep.
	Z	M	39 6	16	-94		
	N	M	39 11	16	-39		
		F	9 30				

F.W.J. Whipple,

Superintendent.
5th July, 1935.

FORM 3718.

H.542.8069.100.7.35.Cp.923.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383.

AIR MINISTRY, METEOROLOGICAL OFFICE. LONDON.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR JULY, 1935.

Lat. 51° 28′ 6″ N, Long. 0° 18′ 47″ W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T_1.	PENDULUM FREE PERIOD T.	DAMPING CONSTANT μ^2.	$\frac{Ak}{\pi l}$
N.	5 Sept. 1934	24.7 sec.	24.5 sec.	+.01	46.7 sec^{-1}
E.	6 Sept. 1934	24.8	24.8	-.01	42.6
Z.	11 Sept. 1934	13.0	13.1	+.01	109.

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK (MORRISON); TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.
SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T. h.	m.	s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
July, 5	Z	iP	18	1	31			5470	Compression.
	Z	ePP		3	32				
	N	eS		8	39				
	E	eSS		12	11				
	N	L		17.5					
	Z	L		21.3					
	N	M		25	18	15	+27		
	E	M		25	22	17	+22		
		M		25	23	18	+27		
		F	19	20					
6		eL	4	9					
		F.		15					
6		eL	22	58					
		F	23	10					
7	Z	e(P)	13	36	25			(9630)	
	NE	e(S)		47	6				
	NE	L	14	10					
	E	M		23	0	15	+10		
		F	15	0					
9		eL	7	30					
		F	8	0					
9	Z	e	12	39	11				
	NE	e		45	55				
	NE	L	13	11					
		F	14	15					
11		eL	9	7					
		F		45					

KEW OBSERVATORY
14 AUG 1935
RICHMOND, SURREY

FORM 3717.

H.555. W.8089. 100. 8/35. G.p. 923.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN. JULY, 19

DATE.	COMPT.	PHASE.	G.M.T. h. m. s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
July, 11		eL	14 23				
		F	45				
12		eL	2 12				
		F	40				
15	Z	i	14 32 21				
	Z	e	34 39				
		F	40				
15		eL	18 42				
		F	55				
16	Z	iP	16 31 52			9790	Compression.
	E	eS	42 41				Destructive in Formos
	NE	L	17 4				
	E	M	11 33	19	+21		
		F	18 0				
17		eL	0 12				
		F	25				
17		eL	1 4				
		F	40				
17	Z	e	4 41				
	NE	e(SS)	48 41				
	NE	L	57				
		F	5 50				
17	Z	e	11 5 30				Horizontal components
	N	e	14 50				disturbed by wind.
	NE	L	38				
	N	M	47				
		F	13 40				
19	Z	eP	1 2 28			9620	
	ZNE	iP	2 34				
	Z	ePP	5 55				
	E	eSKS	12 55				
	N	e	13 6				
	E	iS	13 9				
	N	ePS	14 8				
	N	eSS	19.3				
	NE	L	28				
	Z	L	34				
	E	M	35 4	30	+50		
	Z	M	44 38	18	+45		
	N	M	44 56	18	-44		
		F	3 40				

FORM 3718.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN.

JULY 1935

DATE.	COMPT.	PHASE.	G.M.T. h.	m.	s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
July.									
23		eL	4	26					
		F	5	10					
26	Z	e	4	55	33				Very small.
	NE	e	5	5	(25)				
	N	L		17					
		F		50					
26	Z	e	11	1					
	NE	L		6					
		F	12	5					
29	Z	iP	7	57	44				Long waves indefinite.
	Z	i			49				
	E	i			56				
	Z	i		59	42				
	ZNE	e	8	0	38				
	Z	i		1	29				
	N	e	8	11	0				
		F	10	44					
29	NE	L	23	45					
	Z	L		49					
		F	24	0					
30	NE	L	6	38					
	Z	L		53					
		F	7	20					

F.J.W. Whipple,

Superintendent,
5th August, 1935.

FORM 3718.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 38[illegible]

KEW OBSERVATORY 13 SEP 1935 RICHMOND, SURREY

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR AUGUST, 1935.

Lat. 51° 28' 6'' N, Long. 0° 18' 47'' W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T_1.	PENDULUM FREE PERIOD T.	DAMPING CONSTANT μ^2.	$\frac{Ak}{\pi l}$
		sec.	sec.		sec-1
N.	5 Sept. 1934	24.7	24.5	+.01	46.7
E.	6 Sept. 1934	24.8	24.8	-.01	42.6
Z.	11 Sept. 1934	13.0	13.1	+.01	109.

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK (MORRISON); TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY.
SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.	PERIOD.	AMPLITUDE.	Δ	REMARKS.
			h. m. s.	sec.	μ	km.	
August,							
1	Z	e	14 20 28.				Confused by microseisms.
	Z	e	24 40.				
	Z	e	33 37.				
	ZNE	L	15 0				
		F	45				
1	Z	eP	16 20 25.			8700	Near Pacific Coast of Costa Rica; 10°N, 86°W, (U.S.C.G.S.).
	E	eS	30 20.				
	N	L	42				
	E	M	54				
		F	17 45				
3	NE	eP	1 23 8.			9710	Near Sumatra. Bombay gives iP at 01.15.50, iS at 01.20.28.
	E	iSKS	33 37.				
	N	eS	33 53.				
	NE	i	34 3.				
	N	e	34 37.				
	N	L	52				*
	N	M	2 1 11.	25	+81		
	E	M	8 46.	20	+82		
		F	5 20				
3	NE	e	5 40 22				*
		L	44.4				
		F	6 10				
3	NE	eL	12 39				*
		F	13 25				
3	NE	eL	13 57				*
		F	14 10				

* No Z component record.

FORM 3717.
H.S78.W8080 .100.9.35.923

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN.

AUGUST, 1935.

DATE.	COMPT.	PHASE.	G.M.T.	PERIOD.	AMPLITUDE.	Δ	REMARKS.
			h. m. s.	sec.	"	km.	
August,							
4	E	e	2 47 7.				*
	NE	L	3 10				
		F	30				
6	NE	eL	0 39				*
		F	1 50				
7	NE	eL	9 43				*
		F	10 5				
10		eL	18 25				
		F	19 0				
17	Z	ePKP	2 4 23.			17000	
	ZN	ePP	8 7.				
	Z	iPPP	11 34.				
	ZN	eSKSP	18 23.				
	E	eSS	27 26.				
	E	eSSS	33 15.				
	E	L	48				
	N	L	53				
	Z	M	3 9 45.	20	-56		
	N	M	10 10.	21	-50		
	E	M	10 27.	23	+43		
		F	5 45				
17		eL	21 20				
		F	35				
20	ZNE	e	9 3 53.				Very small and not very distant.
	NE	L	7 30.				
		F	20				
21	Z	e	14 8 7.				Very distant. Horizontal components disturbed by wind.
	Z	L	15 4				
	Z	F	16 25				
22		L	20 48				)
		F	21 25				)
23		eL	14 53				) Earlier phases masked
		F	16 10				) by microseisms.
25	Z	e	5 14				)
		L	20				
		F	6 15				
25		eL	21 16				
		F	22 0				
26		eL	17 18				
		F	18 5				
27		eL	6 9				
		F	25				

FORM 3718.

* No Z component record.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O.....383.....

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN.

....AUGUST,.....19.35..

DATE.	COMPT.	PHASE.	G.M.T. h. m. s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
August							
29	Z	e	11 24				
		F	35				
31		eL	18 24				
		F	19 20				

F.J. Scrase,

Officer-in-Charge,
4th September, 1935.

FORM 3718.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR SEPTEMBER 1935

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T_1.	PENDULUM FREE PERIOD T.	DAMPING CONSTANT μ^2.	$\frac{Ak}{\pi l}$
		sec.	sec.		sec-1
N.	5 Sept. 1934	24.7	24.5	+.01	46.7
E.	6 Sept. 1934	24.8	24.8	-.01	42.6
Z.	11 Sept. 1934	13.0	13.1	+.01	109.

TIME SERVICE: MINUTE TIME MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK (MORRISON); TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY. SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T. h. m. s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
pt.							
2		eL	8 25				
		F	40				
3		eL	11 48				
		F	12 5				
3	Z	e	17 39 52				Small.
	Z	e	43 36				
	N	e	47 0				
		F	18 0				
4	Z	e	1 38 10				
	E	e	46 42				
		F	- - -				Overlapped by next shock.
4	ZE	eP	1 50 42			9860	Azimuth about north.
	ZE	iP	50 44				Epicentre probably under
	Z	iPP	54 22				N. Pacific Ocean.
	NE	iSKS	2 1 9				
	NE	iS	1 34				
	Z	iPS	2 39				
	NE	L	20				
	N	M	36 14	18	+110		
	E	M	36 15	16	+100		
	Z	M	36 18	15	-125		
	NE	L	4 14				Via antipodes.
		F	5 10				

KEW OBSERVATORY
15 OCT 1935
RICHMOND, SURREY

FORM 3717.

W.8089,100,10/35, Gp.923

W.8089,100.1.36.Gp.923.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

	17	33	24	+54		
	18	18	23	-56		
	28	4	19	-17		
9	10					
13	10					
14	5					
14	16	16			8960	Amplitudes of iP as re in mm. N E Z -4.7 -1.8 +14.2 Azimuth 23°, giving ep centre - 43°N, 146°E; Northern Japan.
	19	22				
	21	44				
	26	24				
	27	13				
	32	48				
	40.1					
	46					
	50	30	27	+250		
	50	39	26	+290		
	55	42	20	+175		
18	30					
21	32					
	40					
4	30					
	40					
12	19					
13	25					
15	8					
17	0					
5	9	34				
	19	45				
	36					
6	10					
9	7					
	30					
20	57				)	
21	10				)	
					)	Confused by wind and
3	34				)	microseisms.
4	15				)	

	Z	i		8	1
	NE	iSKKS		14	3
	NE	ePKKP		15	2
	ZNE	iPS		17	2
	NE	ePKKS		19	1
	NE	iSS		24	2
	E	e		33	4
	NE	e		37.1	
	NE	L		39.6	
	Z	L		52.7	
	N	M		49	5
	E	M		50	
	Z	M	3	2	4
		F	5	40	
20	ZE	ePP	5	43	4
	Z	ePPP		46	2
	E	eSKKS		50	4
	NE	iPS		53	4
	E	e		53	4
	Z	ePKKS		55	2
	NE	eSS	6	0	3
	E	eSSS		6	1
	NE	e		14	
	NE	L		17.3	
	Z	L		26	
	E	M		31	
	N	M		31	2
	Z	M		39	4
		F	8	20	
20	E	e	21	34	7
	ZE	L	22	6	
		F	23	15	
23	Z	(eP)	9	33	(5
	Z	ePKP		37	1
	Z	PP		38	5
	Z	PPP		41	3
	NE	eSKKS		45	5
	NE	ePS		48	5
	Z	e		50	1
	NE	e	10	9	2
	NE	L		12	
	Z	L		15	
	Z	M		33	2
		F	12	10	
24		eL	6	10	
		F		35	

FORM 3718.

100.3.38.Gp.923.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN. ....SEPTEMBER,.....1935..

DATE.	COMPT.	PHASE.	G.M.T. h.	m.	s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
Sept. 20	Z	(e)	2	5	54			13800	Confused by microseisms.
	ZN	ePP		7	35				Azimuth about NE.
	E	iPP		7	42				Bombay gives iP at 01.58.02,
	Z	i		8	13				iS at 02.07.23.
	NE	iSKKS		14	33				Epicentre about 4°S, 144°E,
	NE	ePKKP		15	29				near New Guinea.
	ZNE	iPS		17	29				
	NE	ePKKS		19	16				
	NE	iSS		24	24				
	E	e		33	49				
	NE	e		37.1					
	NE	L		39.6					
	Z	L		52.7					
	N	M		49	51	30	+480*		* By extrapolation.
	E	M		50	6	27	+500*		
	Z	M	3	2	48	20	-200		
		F	5	40					
20	ZE	ePP	5	43	47			13800	Probably a repetition of
	Z	ePPP		46	23				the New Guinea shock of
	E	eSKKS		50	44				20d. 2h.
	NE	iPS		53	42				
	E	e		53	47				
	Z	ePKKS		55	28				
	NE	eSS	6	0	31				
	E	eSSS		6	18				
	NE	e		14	7				
	NE	L		17.3					
	Z	L		26					
	E	M		31	2	19	-49		
	N	M		31	27	21	+64		
	Z	M		39	41	18	+52		
		F	8	20					
20	E	e	21	34	7				No N record.
	ZE	L	22	6					
		F	23	15					
23	Z	(eP)	9	33	(52)			13800	Confused by microseisms.
	Z	ePKP		37	14				Probably a repetition of
	Z	PP		38	56				the New Guinea shock of
	Z	PPP		41	32				20d. 2h.
	NE	eSKKS		45	54				
	NE	ePS		48	52				
	Z	e		50	14				
	NE	e	10	9	26				
	NE	L		12					
	Z	L		15					
	Z	M		33	25	22	-22		
		F	12	10					
24		eL	6	10					
		F		35					

FORM 3718.

W.3068.100.1.36.Gp.923.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

55					the Bering Sea.
40	20				May be a repetition of
42	56				thenNew Guinea shock of
19					20d. 2h.
25					
34					
15					
45					
25					
19	53			660	Readings from experimen
20	24				Wood-Anderson seismogra
21	0				Felt around Bordeaux.
21	24				
26					
34					
20					

(sgd) F.J.W. Whipple,

Superintendent,
7th October, 1935

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

KEW OBSERVATORY 12 NOV 1935 RICHMOND SURREY

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR OCTOBER 1935.

Lat. 51° 28' 6" N, Long. 0° 18' 47" W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" LEIPZIG, 1914; OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T_1.	PENDULUM FREE PERIOD. T.	DAMPING CONSTANT μ^2.	$\frac{Ak}{\pi l}$
		sec.	sec.		sec^{-1}
N.	5 Sept. 1934	24.7	24.5	+.01	46.7
E.	6 Sept. 1934	24.8	24.8	-.01	42.6
Z.	11 Sept. 1934	13.0	13.1	+.01	109.

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK (MORRISON); TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY. SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.	PERIOD.	AMPLI-TUDE.	Δ	REMARKS.
Oct.			h. m. s.	sec.	μ	km.	
1		eL	11 45				
		F	12 0				
2	ZN	iP	5 45 11			8910	Dilatation. Amplitudes of iP as read in mm. N E Z -1.3 0 +4.5 Azimuth .0°, giving epicentre near 48°N, 180°E; Aleutian Islands. *Wood-Anderson record.
	Z	iPcP	45 25				
	NE	iS	55 17				
	N*	iPS	55 51				
	N	L	6 11.4				
	Z	L	19				
	N	M	19 34	27	+34		
		F	50				
6	Z	e	4 46				
		L	6 3				
		F	25				
6		eL	15 23				
		F	35				
7		eL	5 39				
		F	6 30				
8	Z	(e)	9 39 21				S lost during change of charts.
	N	L	42				
	N	M	47 16	25	+56		
		F	10 40				
9	ZE	eP	22 12 42			1980	Dilatation. Felt in S.W. Iceland.
	ZE	iS	16 3				
	E	L	14.6				
	NZ	L	17.0				
	Z	M	19 27	12	-21		
		F	23 10				

FORM 3717.
[illegible]8089.100.11.35.Gp.923.

[illegible]8089.100.1.36.Gp.923.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN.

OCTOBER 1935

DATE.	COMPT.	PHASE.	G.M.T. h.	m.	s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
Oct.									
10		eL	21	12					
		F		20					
11/12	Z	e(P)	22	36	46			(8650)	
	E	e(S)		46	39				
	NE	L	23	12					
	Z	L		18					
	Z	M		30	51	19	+21		
		F	1	0					
12	Z	eP	16	57	53			9560	
	Z	iP		57	55				
	Z	iPP	17	1	8				
	Z	i		1	30				
	E	eSKS		8	11				small.
	NE	iS		8	31				large.
	N	ePS		9	18				
	E	iSS		13	49				
	E	eSSS		17	7				
	NE	L		24					
	Z	L		27.2					
	N	M		34	40	21	+120		
	E	M		35	10	20	+130		
	Z	M		36	29	23	-120		
		L	19	0					Via antipodes.
		F		50					
13		eL	2	41					
		F	3	25					
13		eL	19	51					
		F	20	0					
14		eL	10	36					
		F		50					
14		eL	20	47					
		F	21	0					
18	Z	iP	0	24	32			9430	Compression.
	Z	iPP		27	44				Azimuth, from long waves,
	E	eSKS		34	54				about 25°. Near Northern
	E	iS		35	4				Japan.
	E	iPS		35	30				
	NE	iSS		40	22				
	E	eSS		43	41				
	NE	L		50					
	Z	L		56.5					
	N	M	1	0	8	20	-105		
	E	M		0	8	20	+140		
	Z	M		5	29	19	+67		
		F	3	10					

FORM 3718.

W.2069.100.1.36.Gp.923.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN.

OCTOBER 1935.

DATE.	COMPT.	PHASE.	G.M.T. h.	m.	s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
Oct. 18	NEZ	iPP	11	24	15			12100	
	N	eSKS		30	38				
	Z	e(S)		32	43				
	NE	ePS		33	48				
	NE	iSS		39	30				
	E	L		55					
	Z	L	12	0					
	E	M		10	24	19	+20		
		F	13	35					
18	Z	eP	15	6	21			9430	Probably a repetition of the shock at 0h.
	NE	eSKS		16	44				
	E	iS		16	53				
	E	L		34					
	Z	L		41					
	E	M		42	21	20	+34		
		F	16	40					
22	N	e	7	42	10				Very small.
	Z	L	8	22					
		F	9	20					
23		eL	14	8					
		F		15					
25		eL	1	14					
		F	2	0					
31	Z	eL	19	12					Horizontal components disturbed by wind.
		F		30					

(sgd) F.J.W. Whipple.

Superintendent,
6th November, 1935.

FORM 3718.

[illegible] 100.1.36.Gp.923.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

CER.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR NOVEMBER 1935.

Lat. 51° 28′ 6″ N, Long. 0° 18′ 47″ W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T_1.	PENDULUM FREE PERIOD T.	DAMPING CONSTANT μ^2.	$\frac{Ak}{\pi l}$
		sec.	sec.		sec-1
N.	5 Sept. 1934	24.7	24.5	+.01	46.7
E.	6 Sept. 1934	24.8	24.8	-.01	42.6
Z.	11 Sept. 1934	13.0	13.1	+.01	109.

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK (MORRISON); TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY. SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T. h.	m.	s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
Nov.									
1	Z	iP	6	12	27			5590	Dilatation.
	E	eS		19	41				Felt in Eastern Canada
	E	iSS		23	19				and U.S.A.
	N	eL		25					46°N, 80°W. (U.S.C.G.S.)
	EZ	iL		27	31				
	E	M		31	8	18	-37		
	Z	M		31	21	18	+39		
		F	7	15					
1	Z	e	16	36					
	NE	e		40	10				) May be due to wind
	NE	e		44	42				) disturbance.
	E	e		53	46				
	NE	L	17	2					
	Z	L		9					
	N	M		9	52	19	-39		
		F	18	5					
5		eL	21	48					
		F	22	25					
7	Z	eP	4	41	39			1990	
	E	eS		45	1				
	N	L		46.2					
	N	M		47	35	15	-9		
		F	5	0					
10		eL	18	46					
		F	19	50					
11		eL	14	20					
		F	15	0					

KEW OBSERVATORY
10 DEC 1935
RICHMOND, SURREY

FORM 3717.

H612, W8089, 100, 11/35 G.923.

W8089.100.1.36.Gp.923.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN. NOVEMBER, 1935.

DATE.	COMPT.	PHASE.	G.M.T. h.	m.	s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
Nov.									
14		eL	20	56					Confused by wind disturbance.
		F	21	30					
16		eL	0	28					)
		F		45					)
									) Not very distant.
16		eL	6	50					)
		F	7	5					)
23		eL	8	33					
		F		45					
25	Z	iP	10	15	55			9640	Dilatation.
	Z	iPP		19	26				
	E	eSKS		26	21				
	N	iS		26	35				
	NE	L		46					
	Z	L		54					
	N	M	11	3	24	18	+12		
		F	12	0					
28	Z	e	13	17					
		F		20					
30	Z	eP	3	51	36			8390	Felt at Dhubri, Assam.
	E	eS	4	1	16				Confused by microseisms.
	E	ePS		1	38				
	E	L		18.5					
	E	M		21	1	20	-16		
		F	5	10					

(sgd) F.J.W. Whipple,

Superintendent.
4th December, 1935.

FORM 3718.

8089.100.1.36.Gp.923.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

ER

AIR MINISTRY, METEOROLOGICAL OFFICE, LONDON.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN FOR DECEMBER 1935.

Lat. 51° 28′ 6″ N, Long. 0° 18′ 47″ W, Height above M.S.L. 5m.

LITHOLOGIC FOUNDATION: RIVER GRAVEL RESTING ON LONDON CLAY.

INSTRUMENTS: GALITZIN APERIODIC SEISMOGRAPHS, PHOTO-GALVANOMETRIC REGISTRATION, THREE COMPONENTS.

CONSTANTS: FOR NOTATION SEE FÜRST B. GALITZIN "VORLESUNGEN ÜBER SEISMOMETRIE" (LEIPZIG, 1914) OR G. W. WALKER "MODERN SEISMOLOGY" (LONDON, 1913).

COMPONENT.	DATE FROM WHICH CONSTANTS APPLY.	GALVANOMETER FREE PERIOD T_1.	PENDULUM FREE PERIOD T.	DAMPING CONSTANT μ^2.	$\frac{Ak}{\pi l}$
		sec.	sec.		sec^{-1}
N.	5 Sept. 1934	24.7	24.5	+.01	46.7
E.	6 Sept. 1934	24.8	24.8	-.01	42.6
Z.	11 Sept. 1934	13.0	13.1	+.01	109.

TIME SERVICE: MINUTE TIME-MARKS ARE MADE ELECTROMAGNETICALLY BY CONTACT CLOCK (MORRISON); TIME COMPARISONS ARE MADE DAILY WITH SIGNALS FROM GREENWICH OBSERVATORY. SEISMOMETRIC READINGS CAN BE DETERMINED TO THE NEAREST SECOND.

DATE.	COMPT.	PHASE.	G.M.T.	PERIOD.	AMPLITUDE.	Δ	REMARKS.
			h. m. s.	sec.	μ	km.	
Dec. 2	NE	eL	0 31				Confused by microseisms.
	Z	eL	35				
	N	M	36 9	17	-8		
		F	50				
2	N	eL	17 33				No records of "Z" and "E-W" components. Confused by microseisms.
	N	M	40 3	17	+7		
		F	55				
5	N	e	18 53 12				
	NE	eL	19 2				
	Z	eL	8				
	N	M	16 1	20	-6		
		F	20 5				
9	ZNE	eL	9 1				
	Z	M	5 33	19	-7		
		F	35				
14	Z	i	1 42 47				)Emergent on horizontal) components.
	Z	i	45 2				
	Z	e	46 8				
	NE	i	52 12				
	ZNE	i	52 33				Large on "N-S" component.
	ZNE	e	53 28				
	ZNE	e	56 31				
	E	e	57 51				
	N	e	58 11				Northern Peru, 6°S., 74°W. (U.S.C.G.S.)
	E	e	2 0 54				
	N	i	2 15				
	E	e	5 15				
	N	i	5 31				Surface waves poorly developed.
		F	3 0				

FORM 3717.
W.8089.100.1.36.Gp.923.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN. DECEMBER. 1935.

DATE.	COMPT.	PHASE.	G.M.T. h. m. s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
Dec.							
14/15	ZE	iP	22 17 30			8890	Compression. Emergent on "N-S" component.
	Z	i	17 35				
	E	iS	27 35				
	ZNE	ePS	28 13				
	E	i	29 17				)
	E	i	29 38				)Large movements.
	E	iSS	33 12				)
	E	eSSS	36 11				
	N	i	38 53				
	ZNE	eL	41				
	N	M	51 0	20	-75		Pacific Ocean off Central America.
	Z	M	54 38	17	+185		
	E	M	54 38	17	+185		14°N., 93°W. (U.S.C.G.S.)
		F	1 15				
15	ZNE	ePKP	7 27 11			15000	Felt in Solomon Islands.
	Z	iSKP	30 33				
	N	iSS	48 22				
	E	iSSP	48 32				12°S., 161°E. (U.S.C.G.S.)
	N	i	49 51				
	NE	iSSS	53 8				
	NE	eL	57				
	Z	eL	8 9				
	E	M	13 2	36	+185		
	E	M	17 15	28	-130		
	Z	M	22 30	25	-110		
	N	M	22 40	24	-155		
		F	11 5				
16	NE	i	17 18 32				Clearly shown by Wood-Anderson seismograph. Very small. No "Z" record.
		F	35				
17	ZN	ePP	19 31 14			13700	
	NE	ePS	41 30				
	ZN	e	41 48				
	N	iSS	47 58				
	NE	L	58				
	N	M	20 3 37	39	-105		
	Z	L	4				
	E	M	5 37	31	-89		
	N	M	6 23	29	-91		
	Z	M	17 24	17	-52		
		F	22 5				
18	ZNE	e	7 41				
	NE	L	48				
	N	M	51 5	28	+13		
	E	M	51 34	30	-13		
	Z	L	53				
		F	8 35				
18		e	17 39				
		F	18 5				
20		e	0 55				Possibly not seismic.
		F	1 5				

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

M.O. 383

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN. DECEMBER, 1935.

DATE.	COMPT.	PHASE.	G.M.T.	PERIOD.	AMPLITUDE.	Δ	REMARKS.
			h. m. s.	sec.	μ	km.	
Dec.							
20	ZN	e	18 59 1				No "E-W" record.
	N	L	19 41				
	Z	L	46				
	N	M	46 22	28	-10		
	N	M	59 59	20	+8		
	Z	M	20 0 4	20	-8		
		F	21 10				
21	ZNE	eL	12 32				
		F	13 0				
23	ZNE	eL	15 30				
		F	45				
24	Z	e	12 36 25				Confused by microseisms.
	NE	e	46 45				
	NE	L	58				
	Z	L	13 1				
	E	M	5 8	26	+8		
		F	14 5				
							Amplitudes as read in mm :-
							N. E. Z.
28	ZE	iP	2 48 56			10020	(0.0) -1.2 +1.7
	ZNE	i	49 5				+1.3 +6.8 -12.7
	ZNE	iPP	52 55				
	ZE	iPPP	54 57				Azimuth about 80°.
	ZE	i	56 57				Near Northern Sumatra.
	Z	i	58 28				
	E	iSKS	59 39				
	NE	iS	59 55				
	N	i	3 0 3				
	ZE	i	1 35				
	N	i	3 42				
	N	iSS	5 55				
	ZE	i	6 46				
	N	i	7 36				
	ZE	i	10 35				
	N	i	10 38				
	N	i(SSSS)	12 23				
	Z	iPPP	14 37				By path > 180°.
	N	i	15 13				
	ZNE	L	18				
	N	M	19 24	52	-550		
	N	M	22 7	34	>+450*		*Not completely recorded.
	E	M	26 2	30	+170		
	N	M	30 6	28	+330		
	Z	M	35 17	25	-360		
	E	M	35 48	27	-200		
		F	7 30				
28		e	19 38				
		F	50				
29		e	4 39				Very small.
		F	55				

FORM 3718.

Documentation preserved at the NSA National Seismological Archive - British Geological Survey, Edinburgh (UK), reproduced on 2006 by SGA Storia Geofisica Ambiente (Bologna), on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome), in the frame of the EUROSEISMOS project.
These data are considered public domain and may be freely distributed or copied for non-profit purposes provided the project is properly quoted.

KEW OBSERVATORY, RICHMOND, SURREY, ENGLAND.

SEISMOLOGICAL BULLETIN.

.....DECEMBER,.....1935.

DATE.	COMPT.	PHASE.	G.M.T. h.	m.	s.	PERIOD. sec.	AMPLITUDE. μ	Δ km.	REMARKS.
Dec.									
30	ZNE	e	0	7	57				Disturbed by wind and microseisms.
	NE	eL		38					
	Z	eL		45					
	E	M		48	53	24	-8		
		F	2	0					
30	N	i	3	10	46				)
	N	i		11	4				)
	N	i		11	22				)Readings from experimental
		F		13					)Wood-Anderson seismogram;
30	N	i	3	38	36				)very small on Galitzin rec-
	N	i		39	28				)ords.
	N	i		39	35				)Confused by microseisms.
	N	i		40	9				)Southern Germany.
		F		42					)
									)

(sgd) F.J.W. Whipple,

Superintendent,
3rd January, 1936.

FORM 3718.